

# Female Intake Questionnaire

#### **General Information**

Name			Age	_ Today's Date	
Date of Birth		_ Email			
State		_ Zip			
				_ (Work)	
Genetic Background:	Native American	n Hispanic n Caucasian	Northern Europ	ean	
When, where and from	whom did you last	receive medical or he	alth care?		
Emergency Contact: (Cell)		-		_Phone (Home)	
How did you hear abou	t our practice?				
Clinic website	•		r □Referral fron	n friend/family member	☐ Social media

#### **Current Health Concerns**

Please rank current and ongoing health concerns in order of priority

Describe Problem	Severity	Prior Treatment/Approach	Success	
Example: Post Nasal Drip	Mild □Moderate □Severe	Elimination Diet	Good □Fair	□Excellent
	□Mild □Moderate □Severe		□Good □Fair	□Excellent
	□Mild □Moderate □Severe		□Good □Fair	□Excellent
	□Mild □Moderate □Severe		□Good □Fair	□Excellent
	□Mild □Moderate □Severe		□Good □Fair	□Excellent
	□Mild □Moderate □Severe		□Good □Fair	□Excellent
	□Mild □Moderate □Severe		□Good □Fair	□Excellent
	□Mild □Moderate □Severe		□Good □Fair	□Excellent
	□Mild □Moderate □Severe		□Good □Fair	□Excellent
	□Mild □Moderate □Severe		□Good □Fair	□Excellent
	□Mild □Moderate □Severe		□Good □Fair	□Excellent

A 11		
ΑII	erg	lles

1. Name of Medication/Supplement/F	ood:					
Reaction:						
2. Name of Medication/Supplement/F						
Reaction:						
3. Name of Medication/Supplement/F	ood:					
Reaction:						
4. Name of Medication/Supplement/F	ood:					
Reaction:						
<ol><li>Name of Medication/Supplement/F</li></ol>	ood:					
Reaction:						
Lifestyle Review						
Sleep						
How many hours of sleep do you get each	night o	n average	?			
Do you have problems falling asleep?	Yes	No	Staying asleep?	Yes	No	
Do you have problems with insomnia?	Yes	No	Do you snore?	Yes	No	
Do you feel rested upon awakening?	Yes	No				
Do you use sleeping aids?  If yes, explain:	Yes	No				
Exercise						

Exercise
Current Exercise Program:

Activity	Туре	# of Times Per Week	Time/Duration (Minutes)
Cardio/Aerobic			
Strength/Resistance			
Flexibility/Stretching			
Balance			
Sports/Leisure (e.g., golf)			
Other:			

Do you feel motivated to exercise?	es A li	ittle	No
Are there any problems that limit exercise If yes, explain:		No	
Do you feel unusually fatigued or sore after If yes, explain:	er exercise?	Yes	No

#### **Nutrition**

Do you currently follow ar Vegetarian Blood Type Other:	Vegan Low sodium	Allergy No Dairy	Elimination No Wheat	programs? (Check a Low Fat Gluten Free	ll that apply) Low Carb	High Protein
Do you have sensitivities t If yes, list food and sy			No			
Do you have an aversion t			No			
Do you adversely react to Monosodium glutan Chocolate Preservatives	nate (MSG) Alcohol	Artificial sw Red wine		Garlic/onion Sulfite–containing f	oods (wine, dried	
Are there any foods that y  If yes, what foods?	_					
Do you eat 3 meals a day?	Yes 1	No If	no, how many .			
Does skipping a meal grea	atly affect you?	Yes	No			
How many meals do you e	eat out per week	? 0-1	1-3	3-5 More than 5	meals per week	
Check the factors that appraisant eater Eat too much Late-night eating Dislike healthy food Time constraints Travel frequently Eat more than 50% Healthy foods not r Poor snack choices Significant other or healthy foods	ds of meals away fr eadily available	om home	d eating habits	Significant other or dietary needs Love to eat Eat because I have Have negative related Struggle with eatin Emotional eater (eat too much under Eat too little under Don't care to cook Confused about nu	to tionship to food g issues at when sad, lone r stress stress	

#### Diet

riease record what you eat in a typical day:
Breakfast
Lunch
Dinner
Snacks
Fluids
How many servings do you eat in a typical week of these foods:  Fruits (not juice) Vegetables (not including white potatoes)  Legumes (beans, peas, etc) Red meat Fish  Dairy/Alternatives Nuts & Seeds Fats & Oils  Cans of soda (regular or diet) Sweets (candy, cookies, cake, ice cream, etc.)
Do you drink caffeinated beverages? Yes No If yes, check amounts:  Coffee (cups per day) 1 2-4 More than 4 Tea (cups per day) 1 2-4 More than 4  Caffeinated sodas—regular or diet (cans per day) 1 2-4 More than 4
Do you have adverse reactions to caffeine? Yes No If yes, explain:
When you drink caffeine do you feel: Irritable or wired Aches or pains
Smoking
Do you smoke currently? Yes No Packs per day: Number of years What type? Cigarettes Smokeless Pipe Cigar E-Cig
Have you attempted to quit? Yes No If yes, using what methods:
If you smoked previously: Packs per day: Number of years
Are you regularly exposed to second-hand smoke? Yes No
Alcohol
How many alcoholic beverages do you drink in a week? (1 drink = 5 ounces wine, 12 ounces beer, 1.5 ounces spirits)  1-3 4-6 7-10 More than 10 None
Previous alcohol intake? Yes ( Mild Moderate High) None
Have you ever had a problem with alcohol? Yes No If yes, when?
Have you ever thought about getting help to control or stop your drinking?  Yes  No
Other Substances
Are you currently using any recreational drugs? Yes No If yes, type:
Have you ever used IV or inhaled recreational drugs? Yes No

#### **Stress**

Do you feel you have an excessive amount of stress in your life? Yes No	
Do you feel you can easily handle the stress in your life? Yes No	
How much stress do each of the following cause on a daily basis (Rate on scale of 1-10, 10 being highest)  Work Family Social Finances Health Other _	
Do you use relaxation techniques? Yes No If yes, how often?	
Which techniques do you use? (Check all that apply)  Meditation Breathing Tai Chi Yoga Prayer Other:	
Have you ever sought counseling? Yes No	
Are you currently in therapy? Yes No If yes, describe:	
Have you ever been abused, a victim of crime, or experienced a significant trauma? Yes No	
What are your hobbies or leisure activities?	
Relationships Marital status: Single Married Divorced Gay/Lesbian Long-Term Partner	Widow/er
With whom do you live? (Include children, parents, relatives, friends, pets)	
Current occupation:	
Previous occupations:	
Do you have resources for emotional support? Yes No (Check all that apply)  Spouse/Partner Family Friends Religious/Spiritual Pets Oth	her:
Do you have a religious or spiritual practice? Yes No If yes, what kind?	

### How well have things been going for you?

(Enter score on scale of 1-10, with 1 being poorly, 5 being fine, and 10 being very well; choose N/A if not applicable)

How Well Have Things Been Goin	g for You?		
Overall	N/A	Score	
At school	N/A	Score	
In your job	N/A	Score	
In your social life	N/A	Score	
With close friends	N/A	Score	
With sex	N/A	Score	
With your attitude	N/A	Score	
With your boyfriend/girlfriend	N/A	Score	
With your children	N/A	Score	
With your parents	N/A	Score	
With your spouse	N/A	Score	

#### History

Patient's Birth/Childhood History: Term Don't know You were born: Premature Were there any pregnancy or birth complications? Yes No If yes, explain: \_\_ You were: Breast-fed/How long? \_\_\_\_\_ Bottle-fed/Type of formula: \_\_\_\_\_ Don't know Age of introduction of: Solid food: Wheat Dairy \_\_\_\_ As a child, were there any foods that were avoided because they gave you symptoms? Yes No If yes, what foods and what symptoms? (Example: milk—gas and diarrhea) Did you eat a lot of sugar or candy as a child? Yes No **Dental History:** Check if you have any of the following, and provide number if applicable: Root canals \_\_\_\_\_ Silver mercury fillings \_\_\_\_\_ Gold fillings \_\_\_\_\_ Implants \_\_\_\_\_ Tooth pain \_\_\_\_\_ Bleeding gums \_\_\_\_\_ Caps/Crowns \_\_\_\_\_ Gingivitis \_\_\_\_\_ Problems with chewing \_\_\_\_\_ Other dental concerns (explain): \_\_\_\_\_ Have you had any mercury fillings removed? If yes, when: \_\_\_ No How many fillings did you have as a kid? \_ Do you floss regularly? Do you brush regularly? Yes No Yes Nο **Environmental/Detoxification History** Do any of these significantly affect you? Auto exhaust fumes Cigarette smoke Perfume/colognes Other: In your work or home environment are you regularly exposed to: (Check all that apply) Mold Water leaks Renovations Chemicals Electromagnetic radiation Stagnant or stuffy air **Smokers** Damp environments Carpets or rugs Old paint Pesticides Herbicides Harsh chemicals (solvents, glues, gas, acids, etc) Cleaning chemicals Airplane travel Heavy metals (lead, mercury, etc.) **Paints** Other \_\_ Have you had a significant exposure to any harmful chemicals? Yes No If yes: Chemical name, length of exposure, date: \_ Do you have any pets or farm animals? No

Both inside and outside

If yes, do they live:

Inside

Outside

### Women's History

Obstetric History: (Check box and p	provide number if applicable)	)	
Pregnancies	☐ Miscarriages	Abortions	Living children
Vaginal deliveries	Cesarean	Term births	Premature birth
Birth weight of largest baby	Birth weight of	smallest baby	
Did you develop any problems in or depression, issues with breast feeding If yes, please explain	ng, etc.? □ Ye	s 🗆 No	sure), diabetes, post-partum
Menstrual History: Age at first period Length of cycle		ast menstrual period ween cycles	
Cramping? Yes No	Pain? Yes N	No	
Have you ever had premenstrual pro	bblems (bloating, breast tend		Yes No
Do you have other problems with your lf yes, please describe:		spotting, skipping, etc.)?	Yes No
Use of hormonal birth control:	•	atch Nuva ring / Long	
Any problems with hormonal birth c			
Use of other contraception?	Yes No Condoms	Diaphragm II	JD Partner vasectomy
Are you in menopause? Yes	No If ves, age at l	ast period:	
Was it surgical menopause?  If yes, explain surgery:	Yes No	•	
Do you currently have symptomatic Hot flashes Mood Vaginal dryness Weigh	swings Concentration/	memory problems H	leadaches Joint pain urine Palpitations
Are you on hormone replacement the lif yes, for how long and for what	• -	orosis prevention, etc.)?	
Other Gynecological Symptoms: (C Endometriosis Infertili Ovarian cysts Pelvic Sexually transmitted disease	ty Fibrocystic breasts inflammatory disease	s Vaginal infection Reproductive cancer	Fibroids
Gynecological Screening/Procedure	es: (If applicable, provide dat	te)	
Last Pap test:	Normal	Abnormal	
Last mammogram:	Normal	Abnormal	
and the second s	Results:	High Low	Within Normal Range
Last bone density: Other tests/procedures (list type			

### **Family History**

Check family members that have/had any of the following

Mother				
Age (if still alive)	_ Age at death	(if deceased)	-	
Cancer	Autoimmune disease	Anxiety	Autism	Other:
Heart disease	Arthritis	Depression	Irritable Bowel	
Hypertension	Kidney disease	Asthma	Syndrome	
Obesity	Thyroid problems	Allergies	Dementia	
Diabetes	Seizures/epilepsy	Eczema	Substance abuse	
Stroke	Psychiatric disorders	ADHD	Genetic disorders	
Father				
Age (if still alive)	_ Age at death	(if deceased)	_	
Cancer	Autoimmune disease	Anxiety	Autism	Other:
Heart disease	Arthritis	Depression	Irritable Bowel	
Hypertension	Kidney disease	Asthma	Syndrome	
Obesity	Thyroid problems	Allergies	Dementia	
Diabetes	Seizures/epilepsy	Eczema	Substance abuse	
Stroke	Psychiatric disorders	ADHD	Genetic disorders	
Brother				
Age (if still alive)	_ Age at death	(if deceased)	-	
Cancer	Autoimmune disease	Anxiety	Autism	Other:
Heart disease	Arthritis	Depression	Irritable Bowel	
Hypertension	Kidney disease	Asthma	Syndrome	
Obesity	Thyroid problems	Allergies	Dementia	
Diabetes	Seizures/epilepsy	Eczema	Substance abuse	
Stroke	Psychiatric disorders	ADHD	Genetic disorders	
Sister				
Age (if still alive)	_ Age at death	(if deceased)	-	
Cancer	Autoimmune disease	Anxiety	Autism	Other:
Heart disease	Arthritis	Depression	Irritable Bowel	
Hypertension	Kidney disease	Asthma	Syndrome	
Obesity	Thyroid problems	Allergies	Dementia	
Diabetes	Seizures/epilepsy	Eczema	Substance abuse	
Stroke	Psychiatric disorders	ADHD	Genetic disorders	
Child				
Age (if still alive)	_ Age at death	(if deceased)	-	
Cancer	Arthritis	Asthma	Dementia	Other:
Heart disease	Kidney disease	Allergies	Substance abuse	
Hypertension	Thyroid problems	Eczema	Genetic disorders	
Obesity	Seizures/epilepsy	ADHD		
Diabetes	Psychiatric disorders	Autism		
Stroke	Anxiety	Irritable Bowel		
Autoimmune disease	Depression	Syndrome		

# Family History (continued)

Age at death	(if deceased)	_	
Autoimmune disease	Anxiety	Autism	Other:
Arthritis	Depression	Irritable Bowel	
Kidney disease	Asthma	•	
Thyroid problems	Allergies		
Seizures/epilepsy	Eczema	Substance abuse	
Psychiatric disorders	ADHD	Genetic disorders	
Age at death	(if deceased)	_	
Autoimmune disease	Anxiety	Autism	Other:
Arthritis	Depression	Irritable Bowel	
Kidney disease	Asthma	Syndrome	
· · · · · · · · · · · · · · · · · · ·	Allergies	Dementia	
the state of the s	Eczema	Substance abuse	
	ADHD	Genetic disorders	
Age at death	(if deceased)	_	
Autoimmune disease	Anxiety	Autism	Other:
Arthritis	Depression	Irritable Bowel	
Kidney disease	Asthma	•	
Thyroid problems	Allergies	Dementia	
Seizures/epilepsy	Eczema	Substance abuse	
Psychiatric disorders	ADHD	Genetic disorders	
Age at death	(if deceased)	_	
A	Anxiety		
Autoimmune disease	Anxiety	Autism	Other:
Arthritis	Depression	Irritable Bowel	Other:
	•	Irritable Bowel Syndrome	Other:
Arthritis Kidney disease	Depression Asthma	Irritable Bowel	Other:
Arthritis Kidney disease Thyroid problems	Depression Asthma Allergies	Irritable Bowel Syndrome	Other:
Arthritis Kidney disease	Depression Asthma	Irritable Bowel Syndrome Dementia	Other:
Arthritis Kidney disease Thyroid problems Seizures/epilepsy	Depression Asthma Allergies Eczema	Irritable Bowel Syndrome Dementia Substance abuse	Other:
Arthritis Kidney disease Thyroid problems Seizures/epilepsy	Depression Asthma Allergies Eczema ADHD	Irritable Bowel Syndrome Dementia Substance abuse	Other:
Arthritis Kidney disease Thyroid problems Seizures/epilepsy Psychiatric disorders	Depression Asthma Allergies Eczema ADHD	Irritable Bowel Syndrome Dementia Substance abuse	Other:
Arthritis Kidney disease Thyroid problems Seizures/epilepsy Psychiatric disorders  Age at death	Depression Asthma Allergies Eczema ADHD  (if deceased)	Irritable Bowel Syndrome Dementia Substance abuse Genetic disorders  Autism Irritable Bowel	
Arthritis Kidney disease Thyroid problems Seizures/epilepsy Psychiatric disorders  Age at death Autoimmune disease Arthritis	Depression Asthma Allergies Eczema ADHD  (if deceased) Anxiety	Irritable Bowel Syndrome Dementia Substance abuse Genetic disorders  Autism Irritable Bowel Syndrome	
Arthritis Kidney disease Thyroid problems Seizures/epilepsy Psychiatric disorders  Age at death Autoimmune disease Arthritis Kidney disease	Depression Asthma Allergies Eczema ADHD  (if deceased) Anxiety Depression	Irritable Bowel Syndrome Dementia Substance abuse Genetic disorders  Autism Irritable Bowel Syndrome Dementia	
Arthritis Kidney disease Thyroid problems Seizures/epilepsy Psychiatric disorders  Age at death Autoimmune disease Arthritis	Depression Asthma Allergies Eczema ADHD  (if deceased) Anxiety Depression Asthma	Irritable Bowel Syndrome Dementia Substance abuse Genetic disorders  Autism Irritable Bowel Syndrome	
	Autoimmune disease Arthritis Kidney disease Thyroid problems Seizures/epilepsy Psychiatric disorders  Age at death Autoimmune disease Arthritis Kidney disease Thyroid problems Seizures/epilepsy Psychiatric disorders  Age at death Autoimmune disease Arthritis Kidney disease Thyroid problems Seizures/epilepsy Psychiatric disorders  Age at death Autoimmune disease Arthritis Kidney disease Thyroid problems Seizures/epilepsy Psychiatric disorders	Autoimmune disease Anxiety Arthritis Depression Kidney disease Asthma Thyroid problems Allergies Seizures/epilepsy Eczema Psychiatric disorders ADHD  Age at death (if deceased) Autoimmune disease Anxiety Arthritis Depression Kidney disease Asthma Thyroid problems Allergies Seizures/epilepsy Eczema Psychiatric disorders ADHD  Age at death (if deceased)  Autoimmune disease Anxiety Arthritis Depression Kidney disease Anxiety Arthritis Depression Kidney disease Asthma Thyroid problems Allergies Seizures/epilepsy Eczema Psychiatric disorders ADHD  Age at death (if deceased)  Autoimmune disease Asthma Thyroid problems Allergies Seizures/epilepsy Eczema Psychiatric disorders ADHD	Autoimmune disease Anxiety Autism  Arthritis Depression Irritable Bowel Syndrome  Kidney disease Asthma Dementia  Thyroid problems Allergies Substance abuse  Age at death (if deceased)  Autoimmune disease Anxiety Autism  Arthritis Depression Irritable Bowel Syndrome  Kidney disease Asthma Dementia  Seizures/epilepsy Eczema  Psychiatric disorders ADHD  Age at death (if deceased)  Age at death (if deceased)  Autoimmune disease Asthma Dementia  Seizures/epilepsy Eczema  ADHD  Age at death (if deceased)  Autoimmune disease Anxiety Autism  Arthritis Depression Genetic disorders  ADHD  Age at death (if deceased)  Autoimmune disease Anxiety Autism  Arthritis Depression Irritable Bowel Syndrome  Autoimmune disease Asthma Syndrome  Autoimmune disease Asthma Syndrome  Arthritis Depression Irritable Bowel Syndrome  Syndrome Syndrome  Autoimmune disease Asthma Dementia  Seizures/epilepsy Eczema  Thyroid problems Allergies  Seizures/epilepsy Eczema  Fsychiatric disorders ADHD  Genetic disorders  Genetic disorders

# Family History (continued)

Maternal Grandfather				
Age (if still alive)	Age at death	(if deceased)	_	
Cancer Heart disease Hypertension Obesity Diabetes Stroke	Autoimmune disease Arthritis Kidney disease Thyroid problems Seizures/epilepsy Psychiatric disorders	Anxiety Depression Asthma Allergies Eczema ADHD	Autism Irritable Bowel Syndrome Dementia Substance abuse Genetic disorders	Other:
Paternal Grandmother				
Age (if still alive)	Age at death	(if deceased)	-	
Cancer Heart disease Hypertension Obesity Diabetes Stroke	Autoimmune disease Arthritis Kidney disease Thyroid problems Seizures/epilepsy Psychiatric disorders	Anxiety Depression Asthma Allergies Eczema ADHD	Autism Irritable Bowel Syndrome Dementia Substance abuse Genetic disorders	Other:
Paternal Grandfather				
Age (if still alive)	Age at death	(if deceased)	-	
Cancer Heart disease Hypertension	Autoimmune disease Arthritis Kidney disease	Anxiety Depression Asthma	Autism Irritable Bowel Syndrome Dementia	Other:
Obesity Diabetes Stroke	Thyroid problems Seizures/epilepsy Psychiatric disorders	Allergies Eczema ADHD	Substance abuse Genetic disorders	
Diabetes	Seizures/epilepsy	Eczema	Substance abuse	
Diabetes Stroke	Seizures/epilepsy Psychiatric disorders	Eczema	Substance abuse	

### Medical History: Illnesses/Conditions

Check YES = a condition you currently have, Check PAST = a condition you've had in the past.

Gastrointestinal		
Irritable bowel syndrome	☐ Yes	☐ Past
GERD (reflux)	☐ Yes	☐ Past
Crohn's disease/ulcerative colitis	☐ Yes	☐ Past
Peptic ulcer disease	☐ Yes	☐ Past
Celiac disease	☐ Yes	☐ Past
Gallstones	☐ Yes	☐ Past
Other:	☐ Yes	☐ Past
Respiratory		
Bronchitis	☐ Yes	☐ Past
Asthma	☐ Yes	☐ Past
Emphysema	☐ Yes	☐ Past
Pneumonia	☐ Yes	☐ Past
Sinusitis	☐ Yes	☐ Past
Sleep apnea	☐ Yes	☐ Past
Other:	☐ Yes	☐ Past
Urinary/Genital		
Kidney stones	☐ Yes	☐ Past
Gout	☐ Yes	☐ Past
Interstitial cystitis	☐ Yes	☐ Past
Frequent yeast infections	☐ Yes	☐ Past
Frequent urinary tract infections	☐ Yes	☐ Past
Sexual dysfunction	☐ Yes	☐ Past
Sexually transmitted diseases	☐ Yes	☐ Past
Other:	☐ Yes	☐ Past
Endocrine/Metabolic		
Diabetes	☐ Yes	☐ Past
Hypothyroidism (low thyroid)	☐ Yes	☐ Past
Hyperthyroidism (overactive thyroid)	☐ Yes	☐ Past
Polycystic ovarian syndrome	☐ Yes	☐ Past
Infertility	☐ Yes	☐ Past
Metabolic syndrome/insulin resistance	☐ Yes	☐ Past
Eating disorder	☐ Yes	☐ Past
Hypoglycemia	☐ Yes	☐ Past
Other:	☐ Yes	☐ Past
Inflammatory/Immune		
Rheumatoid arthritis	☐ Yes	☐ Past
Chronic fatigue syndrome	☐ Yes	☐ Past
Food allergies	☐ Yes	☐ Past
Environmental allergies	☐ Yes	☐ Past
Multiple chemical sensitivities	☐ Yes	☐ Past
Autoimmune disease	☐ Yes	☐ Past
Immune deficiency	☐ Yes	☐ Past
Mononucleosis	☐ Yes	☐ Past

[		
Hepatitis	☐ Yes	☐ Past
Other:		
Musculoskeletal		
Fibromyalgia	☐ Yes	☐ Past
Osteoarthritis	☐ Yes	☐ Past
Chronic pain	☐ Yes	☐ Past
Other:	☐ Yes	☐ Past
Skin		
Eczema	☐ Yes	☐ Past
Psoriasis	☐ Yes	☐ Past
Acne	☐ Yes	☐ Past
Skin cancer	☐ Yes	☐ Past
Other:	☐ Yes	☐ Past
Cardiovascular		
Angina	☐ Yes	☐ Past
Heart attack	☐ Yes	☐ Past
Heart failure	☐ Yes	☐ Past
Hypertension (high blood pressure)	☐ Yes	☐ Past
Stroke	☐ Yes	☐ Past
High blood fats (cholesterol, triglycerides)	☐ Yes	☐ Past
Rheumatic fever	☐ Yes	☐ Past
Arrythmia (irregular heart rate)	☐ Yes	☐ Past
Murmur	☐ Yes	☐ Past
Mitral valve prolapse	☐ Yes	☐ Past
Other:	☐ Yes	☐ Past
Neurologic/Emotional		
Epilepsy/Seizures	☐ Yes	☐ Past
ADD/ADHD	☐ Yes	☐ Past
Headaches	☐ Yes	☐ Past
Migraines	☐ Yes	☐ Past
Depression	☐ Yes	☐ Past
Anxiety	☐ Yes	☐ Past
Autism	☐ Yes	Past
Multiple sclerosis	☐ Yes	☐ Past
Parkinson's disease	☐ Yes	□ Past
Dementia	☐ Yes	□ Past
Other:	☐ Yes	Past
Cancer	1es	
Lung	☐ Yes	☐ Past
Breast	☐ Yes	Past
Colon	☐ Yes	Past
Ovarian	☐ Yes	Past
Skin	☐ Yes	Past
	☐ Yes	
Other:	⊔ tes	☐ Past

### Medical History (continued)

Diagnostic Studies		
Bone Density	Date:	Comments:
CT scan	Date:	Comments:
Colonoscopy	Date:	Comments:
Cardiac stress test	Date:	Comments:
EKG	Date:	Comments:
MRI	Date:	Comments:
Upper endoscopy	Date:	Comments:
Upper GI series	Date:	Comments:
Chest X-ray	Date:	Comments:
Other X-rays	Date:	Comments:
Barium enema	Date:	Comments:
Other:	Date:	Comments:
Injuries		
Broken bone(s)	Date:	Comments:
Back injury	Date:	Comments:
Neck injury	Date:	Comments:
Head injury	Date:	Comments:
Other:	Date:	Comments:
Surgeries		
Appendectomy	Date:	Comments:
Dental	Date:	Comments:
Gallbladder	Date:	Comments:
Hernia	Date:	Comments:
Hysterectomy	Date:	Comments:
Tonsillectomy	Date:	Comments:
Joint Replacement	Date:	Comments:
Heart surgery	Date:	Comments:
Other:	Date:	Comments:
Hospitalizations		
	Date:	Reason:

### **Symptom Review**

General			
Cold hands and feet	Mild	Moderate	Severe
Cold intolerance	Mild	Moderate	Severe
Daytime sleepiness	Mild	Moderate	Severe
Difficulty falling asleep	Mild	Moderate	Severe
Early waking	Mild	Moderate	Severe
Fatigue	Mild	Moderate	Severe
Fever	Mild	Moderate	Severe
Flushing	Mild	Moderate	Severe
Heat intolerance	Mild	Moderate	Severe
Night waking	Mild	Moderate	Severe
Nightmares	Mild	Moderate	Severe
Can't remember dreams	Mild	Moderate	Severe
Low body temperature	Mild	Moderate	Severe
Head, Eyes, and Ears			
Conjunctivitis	Mild	Moderate	Severe
Distorted sense of smell	Mild	Moderate	Severe
Distorted taste	Mild	Moderate	Severe
Ear fullness	Mild	Moderate	Severe
Ear ringing/buzzing	Mild	Moderate	Severe
Eye crusting	Mild	Moderate	Severe
Eye pain	Mild	Moderate	Severe
Eyelid margin redness	Mild	Moderate	Severe
Headache	Mild	Moderate	Severe
Hearing loss	Mild	Moderate	Severe
Hearing problems	Mild	Moderate	Severe
Migraine	Mild	Moderate	Severe
Sensitivity to loud noises	Mild	Moderate	Severe
Vision problems	Mild	Moderate	Severe
Musculoskeletal			
Back muscle spasm	Mild	Moderate	Severe
Calf cramps	Mild	Moderate	Severe
Chest tightness	Mild	Moderate	Severe
Foot cramps	Mild	Moderate	Severe
Joint deformity	Mild	Moderate	Severe
Joint pain	Mild	Moderate	Severe
Joint redness	Mild	Moderate	Severe
Joint stiffness	Mild	Moderate	Severe
Muscle pain	Mild	Moderate	Severe
Muscle spasms	Mild	Moderate	Severe
Muscle stiffness	Mild	Moderate	Severe
Muscle twitches	Mild	Moderate	Severe
Around eyes	Mild	Moderate	Severe
Arms or legs	Mild	Moderate	Severe

Muscle weakness         □Mild         □Moderate         □Severe           Neck muscle spasm         Mild         Moderate         Severe           Tension headache         Mild         Moderate         Severe           TMJ problems         Mild         Moderate         Severe           Mood/Nerves         Wild         Moderate         Severe           Agoraphobia         Mild         Moderate         Severe           Anxiety         Mild         Moderate         Severe           Auditory hallucinations         Mild         Moderate         Severe           Depression         Mild         Moderate         Severe           Difficulty:         Uncertaing         Mild         Moderate         Severe           With balance         Mild         Moderate         Severe           With thinking         Mild         Moderate         Severe           With thinking         Mild         Moderate         Severe           With pu	Musculoskeletal (continued)			
Tendonitis Mild Moderate Severe Tension headache Mild Moderate Severe Mood/Nerves  Agoraphobia Mild Moderate Severe Mood/Nerves  Agoraphobia Mild Moderate Severe Auditory hallucinations Mild Moderate Severe Blackouts Mild Moderate Severe Depression Mild Moderate Severe Difficulty:  Concentrating Mild Moderate Severe With balance Mild Moderate Severe With thinking Mild Moderate Severe With judgment Mild Moderate Severe With speech Mild Moderate Severe With speech Mild Moderate Severe With memory Mild Moderate Severe With Moderate Severe Wild Moderate Severe With Moderate Severe Wild Moderate Severe With Moderate Severe Wild Moderate Severe W	Muscle weakness	□Mild	□ Moderate	□Severe
Tension headache TMJ problems Mild Moderate Severe Mood/Nerves  Agoraphobia Mild Moderate Severe Anxiety Mild Moderate Severe Anxiety Mild Moderate Severe Auditory hallucinations Mild Moderate Severe Blackouts Mild Moderate Severe Depression Mild Moderate Severe Depression Mild Moderate Severe Difficulty:  Concentrating Mild Moderate Severe With balance Mild Moderate Severe With judgment Mild Moderate Severe With speech Mild Moderate Severe With speech Mild Moderate Severe With memory Mild Moderate Severe Dizziness (spinning) Mild Moderate Severe Fearfulness Mild Moderate Severe Irritability Mild Moderate Severe Light-headedness Mild Moderate Severe Numbness Mild Moderate Severe Nild Moderate Severe Dizziness Mild Moderate Severe Light-headedness Mild Moderate Severe Severe Numbness Mild Moderate Severe Numbness Mild Moderate Severe Dizinestatacks Mild Moderate Severe Dizinestatacks Mild Moderate Severe Numbness Mild Moderate Severe Numbness Mild Moderate Severe Dizinestatacks Mild Moderate Severe Dizinestatacks Mild Moderate Severe Dizinestatacks Mild Moderate Severe Numbness Mild Moderate Severe Dizinestatacks Dizinestatacks Dizinestatacks Dizinestatacks Dizinestatacks Dizinestatacks Dizinestatack	Neck muscle spasm	Mild	Moderate	Severe
TMJ problems Mild Moderate Severe Mood/Nerves  Agoraphobia Mild Moderate Severe Anxiety Mild Moderate Severe Auditory hallucinations Mild Moderate Severe Blackouts Mild Moderate Severe Depression Mild Moderate Severe Difficulty:  Concentrating Mild Moderate Severe With balance Mild Moderate Severe With judgment Mild Moderate Severe With speech Mild Moderate Severe With memory Mild Moderate Severe With memory Mild Moderate Severe Fearfulness Mild Moderate Severe Irritability Mild Moderate Severe Irritability Mild Moderate Severe Rearduness Mild Moderate Severe Irritability Mild Moderate Severe Irritability Mild Moderate Severe Irritability Mild Moderate Severe Numbness Mild Moderate Severe Numbness Mild Moderate Severe Severe Irritability Mild Moderate Severe Miltal Valve prolapse Mild Moderate Severe Palpitations Mild Moderate Severe Palpitations Mild Moderate Severe Miltal Valve Prolapse Mild Moderate Severe Severe Palpitations Mild Moderate Severe Mild Moderate Severe Palpitations Mild Moderate Severe Palpitations Mild Moderate Severe Severe	Tendonitis	Mild	Moderate	Severe
Mood/Nerves  Agoraphobia Mild Moderate Severe Anxiety Mild Moderate Severe Auditory hallucinations Mild Moderate Severe Blackouts Mild Moderate Severe Depression Mild Moderate Severe Difficulty:  Concentrating Mild Moderate Severe With balance Mild Moderate Severe With thinking Mild Moderate Severe With judgment Mild Moderate Severe With speech Mild Moderate Severe With memory Mild Moderate Severe With memory Mild Moderate Severe Fainting Mild Moderate Severe With Mild Moderate Severe With Moderate Severe Wi	Tension headache	Mild	Moderate	Severe
Agoraphobia Mild Moderate Severe Anxiety Mild Moderate Severe Auditory hallucinations Mild Moderate Severe Blackouts Mild Moderate Severe Depression Mild Moderate Severe Depression Mild Moderate Severe Difficulty:  Concentrating Mild Moderate Severe With balance Mild Moderate Severe With balance Mild Moderate Severe With judgment Mild Moderate Severe With speech Mild Moderate Severe With memory Mild Moderate Severe With memory Mild Moderate Severe Fainting Mild Moderate Severe With memory Mild Moderate Severe Paritiability Mild Moderate Severe Irritability Mild Moderate Severe Numbness Mild Moderate Severe Numbness Mild Moderate Severe Numbness Mild Moderate Severe Other phobias Mild Moderate Severe Paranoia Mild Moderate Severe Paranoia Mild Moderate Severe Seizures Mild Moderate Severe Seizures Mild Moderate Severe Cardiovascular Mild Moderate Severe Tremor/trembling Mild Moderate Severe Cardiovascular Mild Moderate Severe Heart attack Mild Moderate Severe Heart attack Mild Moderate Severe Freathlessness Mild Moderate Severe Severe Mild Moderate Severe Severe Mild Moderate Severe Severe Mild Moderate Severe Mild Moderate Severe Mild Moderate Severe Mild Moderate Severe Severe Mild Mod	TMJ problems	Mild	Moderate	Severe
Anxiety Mild Moderate Severe Auditory hallucinations Mild Moderate Severe Blackouts Mild Moderate Severe Depression Mild Moderate Severe Difficulty:  Concentrating Mild Moderate Severe With balance Mild Moderate Severe With thinking Mild Moderate Severe With thinking Mild Moderate Severe With speech Mild Moderate Severe With memory Mild Moderate Severe With memory Mild Moderate Severe Fearfulness Mild Moderate Severe Irritability Mild Moderate Severe With adderate Severe Mild Moderate Se	Mood/Nerves			
Auditory hallucinations Mild Moderate Severe Blackouts Mild Moderate Severe Depression Mild Moderate Severe Difficulty:  Concentrating Mild Moderate Severe With balance Mild Moderate Severe With thinking Mild Moderate Severe With judgment Mild Moderate Severe With speech Mild Moderate Severe With speech Mild Moderate Severe With memory Mild Moderate Severe Fearfulness (spinning) Mild Moderate Severe Dizziness (spinning) Mild Moderate Severe Irritability Mild Moderate Severe Irritability Mild Moderate Severe Irritability Mild Moderate Severe Numbness Mild Moderate Severe Paranoia Mild Moderate Severe Paranoia Mild Moderate Severe Paranoia Mild Moderate Severe Seizures Mild Moderate Severe Seizures Mild Moderate Severe Seizures Mild Moderate Severe Suicidal thoughts Mild Moderate Severe Suicidal thoughts Mild Moderate Severe Seizures Mild Moderate Severe Seizures Mild Moderate Severe Severe Mild Moderate Severe Palpitations Mild Moderate Severe Palpitations Mild Moderate Severe Severe Severe Mild Moderate Severe Severe Mild Moderate Severe Severe Mild Moderate Severe Severe Mild Moderate Severe Severe Severe Mild Moderate Severe Severe Mild Moderate Severe Severe Mild Moderate Severe Severe Mild Moderate Severe Severe Sever	Agoraphobia	Mild	Moderate	Severe
Blackouts Mild Moderate Severe Depression Mild Moderate Severe Difficulty:  Concentrating Mild Moderate Severe With balance Mild Moderate Severe With thinking Mild Moderate Severe With judgment Mild Moderate Severe With speech Mild Moderate Severe With memory Mild Moderate Severe Dizziness (spinning) Mild Moderate Severe Fearfulness Mild Moderate Severe Irritability Mild Moderate Severe Irritability Mild Moderate Severe Light-headedness Mild Moderate Severe Panic attacks Mild Moderate Severe Paranoia Mild Moderate Severe Seizures Mild Moderate Severe Seizures Mild Moderate Severe Suicidal thoughts Mild Moderate Severe Suicidal thoughts Mild Moderate Severe Usual Hallucinations Mild Moderate Severe Visual Hallucinations Mild Moderate Severe Reart attack Mild Moderate Severe Wisual Hallucinations Mild Moderate Severe Wisual Hallucinations Mild Moderate Severe Usigual Hallucinations Mild Moderate Severe Wisual Hallucinations Mild Moderate Severe Wiregular pulse Mild Moderate Severe Wild Moderate Severe Palpitations Mild Moderate Severe Palpitations Mild Moderate Severe Palpitations Mild Moderate Severe Palpitations Mild Moderate Severe Severe	Anxiety	Mild	Moderate	Severe
Depression Mild Moderate Severe Difficulty:  Concentrating Mild Moderate Severe With balance Mild Moderate Severe With thinking Mild Moderate Severe With judgment Mild Moderate Severe With speech Mild Moderate Severe With memory Mild Moderate Severe With memory Mild Moderate Severe Fearfulness (spinning) Mild Moderate Severe Irritability Mild Moderate Severe Indicattacks Mild Moderate Severe Indicattacks Mild Moderate Severe Irritability Mild Moderate Severe Irritability Mild Moderate Severe Irritability Mild Moderate Severe Indicattacks Mild Moderate Severe Indicattacks Mild Moderate Severe Indicattacks Mild Moderate Severe Irremor/trembling Mild Moderate Severe Irremor/trembling Mild Moderate Severe Irremor/trembling Mild Moderate Severe Irregular pulse Severe Mild Moderate Severe Irregular pulse Severe Mild Moderate Severe	Auditory hallucinations	Mild	Moderate	Severe
Difficulty:  Concentrating Mild Moderate Severe With balance Mild Moderate Severe With thinking Mild Moderate Severe With judgment Mild Moderate Severe With speech Mild Moderate Severe With memory Mild Moderate Severe With memory Mild Moderate Severe Dizziness (spinning) Mild Moderate Severe Fainting Mild Moderate Severe Irritability Mild Moderate Severe Indicattacks Mild Moderate Severe Indicattack Mild Moderate Severe Indicattacks Mild Moderate Severe Indicattacts Mild Modera	Blackouts	Mild	Moderate	Severe
Concentrating Mild Moderate Severe With balance Mild Moderate Severe With thinking Mild Moderate Severe With judgment Mild Moderate Severe With speech Mild Moderate Severe With memory Mild Moderate Severe With memory Mild Moderate Severe Fainting Mild Moderate Severe Fearfulness Mild Moderate Severe Irritability Mild Moderate Severe Itritability Mild Moderate Severe	Depression	Mild	Moderate	Severe
With balance Mild Moderate Severe With thinking Mild Moderate Severe With judgment Mild Moderate Severe With speech Mild Moderate Severe With memory Mild Moderate Severe With memory Mild Moderate Severe Fearfulness (spinning) Mild Moderate Severe Fearfulness Mild Moderate Severe Irritability Mild Moderate Severe Indicated Sever	Difficulty:			
With thinking Mild Moderate Severe With judgment Mild Moderate Severe With speech Mild Moderate Severe With memory Mild Moderate Severe With memory Mild Moderate Severe Fainting Mild Moderate Severe Fearfulness Mild Moderate Severe Fearfulness Mild Moderate Severe Irritability Mild Moderate Severe Light-headedness Mild Moderate Severe Numbness Mild Moderate Severe Other phobias Mild Moderate Severe Panic attacks Mild Moderate Severe Paranoia Mild Moderate Severe Seizures Mild Moderate Severe Suicidal thoughts Mild Moderate Severe Tremor/trembling Mild Moderate Severe Visual Hallucinations Mild Moderate Severe Gardiovascular Angina/chest pain Mild Moderate Severe Heart attack Mild Moderate Severe Heart murmur Mild Moderate Severe Heart murmur Mild Moderate Severe Heart murmur Mild Moderate Severe High blood pressure Mild Moderate Severe Irregular pulse Mild Moderate Severe Mitral valve prolapse Mild Moderate Severe Palpitations Mild Moderate Severe Phlebitis Mild Moderate Severe Phlebitis Mild Moderate Severe	Concentrating	Mild	Moderate	Severe
With judgment With speech With speech With speech With memory Mild Moderate Severe With memory Mild Moderate Severe With memory Mild Moderate Severe Dizziness (spinning) Mild Moderate Severe Fearfulness Mild Moderate Severe Irritability Mild Moderate Severe Light-headedness Mild Moderate Severe Numbness Mild Moderate Severe Other phobias Mild Moderate Severe Panic attacks Mild Moderate Severe Seizures Mild Moderate Severe Suicidal thoughts Mild Moderate Severe Suicidal thoughts Mild Moderate Severe Tremor/trembling Mild Moderate Severe Visual Hallucinations Mild Moderate Severe Gardiovascular Angina/chest pain Mild Moderate Severe Heart attack Mild Moderate Severe Heart murmur Mild Moderate Severe Heart murmur Mild Moderate Severe Heart murmur Mild Moderate Severe High blood pressure Mild Moderate Severe Mild Moderate Severe Miral valve prolapse Mild Moderate Severe Palpitations Mild Moderate Severe Phlebitis Mild Moderate Severe Phlebitis Mild Moderate Severe Phlebitis Mild Moderate Severe Povere Miral valve prolapse Mild Moderate Severe Phlebitis Mild Moderate Severe Mild Moderate Severe Phlebitis Mild Moderate Severe	With balance	Mild	Moderate	Severe
With speech With memory Mild Moderate Severe With memory Mild Moderate Severe Dizziness (spinning) Mild Moderate Severe Fainting Mild Moderate Severe Fearfulness Mild Moderate Severe Irritability Mild Moderate Severe Light-headedness Mild Moderate Severe Numbness Mild Moderate Severe Other phobias Mild Moderate Severe Panic attacks Mild Moderate Severe Paranoia Mild Moderate Severe Seizures Mild Moderate Severe Suicidal thoughts Mild Moderate Severe Visual Hallucinations Mild Moderate Severe Visual Hallucinations Mild Moderate Severe Heart attack Mild Moderate Severe Heart murmur Mild Moderate Severe Heart murmur Mild Moderate Severe Heart murmur Mild Moderate Severe High blood pressure Mild Moderate Severe Mild Moderate Severe Miral valve prolapse Mild Moderate Severe Palpitations Mild Moderate Severe Phlebitis Mild Moderate Severe Mild Moderate Severe Phlebitis Mild Moderate Severe Mild Moderate Severe	With thinking	Mild	Moderate	Severe
With memory Dizziness (spinning) Mild Moderate Severe Fainting Mild Moderate Severe Fearfulness Mild Moderate Severe Fearfulness Mild Moderate Severe Irritability Mild Moderate Severe Light-headedness Mild Moderate Severe Light-headedness Mild Moderate Severe Numbness Mild Moderate Severe Other phobias Mild Moderate Severe Panic attacks Mild Moderate Severe Paranoia Mild Moderate Severe Seizures Mild Moderate Severe Suicidal thoughts Mild Moderate Severe Suicidal thoughts Mild Moderate Severe Tremor/trembling Mild Moderate Severe Visual Hallucinations Mild Moderate Severe Cardiovascular Angina/chest pain Mild Moderate Severe Heart attack Mild Moderate Severe Heart attack Mild Moderate Severe Heart murmur Mild Moderate Severe Heart murmur Mild Moderate Severe High blood pressure Mild Moderate Severe Miral valve prolapse Mild Moderate Severe Miral valve prolapse Mild Moderate Severe Palpitations Mild Moderate Severe Phlebitis Mild Moderate Severe Phlebitis Mild Moderate Severe Severe Miral valve prolapse Mild Moderate Severe Phlebitis Mild Moderate Severe Severe Mild Moderate Severe	With judgment	Mild	Moderate	Severe
Dizziness (spinning)  Fainting  Mild Moderate Severe Fearfulness  Mild Moderate Severe Irritability  Mild Moderate Severe Irritability  Mild Moderate Severe Light-headedness  Mild Moderate Severe Numbness  Mild Moderate Severe Other phobias  Mild Moderate Severe Panic attacks  Mild Moderate Severe Paranoia  Mild Moderate Severe Paranoia  Mild Moderate Severe Seizures  Mild Moderate Severe  Mild Moderate Severe Suicidal thoughts  Mild Moderate Severe  Tremor/trembling  Mild Moderate Severe  Visual Hallucinations  Mild Moderate Severe  Cardiovascular  Angina/chest pain  Mild Moderate Severe  Heart attack  Mild Moderate Severe Heart murmur  Mild Moderate Severe  High blood pressure  Mild Moderate Severe  Mild Moderate Severe  Miral valve prolapse  Mild Moderate Severe  Mild Moderate Severe  Miral valve prolapse  Mild Moderate Severe	With speech	Mild	Moderate	Severe
Fainting Mild Moderate Severe Fearfulness Mild Moderate Severe Irritability Mild Moderate Severe Light-headedness Mild Moderate Severe Numbness Mild Moderate Severe Other phobias Mild Moderate Severe Panic attacks Mild Moderate Severe Paranoia Mild Moderate Severe Seizures Mild Moderate Severe Suicidal thoughts Mild Moderate Severe Suicidal thoughts Mild Moderate Severe Tremor/trembling Mild Moderate Severe Visual Hallucinations Mild Moderate Severe Cardiovascular Angina/chest pain Mild Moderate Severe Heart attack Mild Moderate Severe Heart murmur Mild Moderate Severe Heart murmur Mild Moderate Severe High blood pressure Mild Moderate Severe Irregular pulse Mild Moderate Severe Mirral valve prolapse Mild Moderate Severe Palpitations Mild Moderate Severe Phlebitis Mild Moderate Severe Swollen ankles/feet Mild Moderate Severe	With memory	Mild	Moderate	Severe
Fearfulness Mild Moderate Severe Irritability Mild Moderate Severe Light-headedness Mild Moderate Severe Numbness Mild Moderate Severe Other phobias Mild Moderate Severe Panic attacks Mild Moderate Severe Paranoia Mild Moderate Severe Seizures Mild Moderate Severe Suicidal thoughts Mild Moderate Severe Suicidal thoughts Mild Moderate Severe Tremor/trembling Mild Moderate Severe Visual Hallucinations Mild Moderate Severe Cardiovascular Angina/chest pain Mild Moderate Severe Breathlessness Mild Moderate Severe Heart attack Mild Moderate Severe Heart murmur Mild Moderate Severe Heart murmur Mild Moderate Severe High blood pressure Mild Moderate Severe Irregular pulse Mild Moderate Severe Mitral valve prolapse Mild Moderate Severe Palpitations Mild Moderate Severe Phlebitis Mild Moderate Severe Swollen ankles/feet Mild Moderate Severe	Dizziness (spinning)	Mild	Moderate	Severe
Irritability Mild Moderate Severe Light-headedness Mild Moderate Severe Numbness Mild Moderate Severe Other phobias Mild Moderate Severe Panic attacks Mild Moderate Severe Paranoia Mild Moderate Severe Seizures Mild Moderate Severe Suicidal thoughts Mild Moderate Severe Tremor/trembling Mild Moderate Severe Visual Hallucinations Mild Moderate Severe Cardiovascular Angina/chest pain Mild Moderate Severe Breathlessness Mild Moderate Severe Heart attack Mild Moderate Severe Heart murmur Mild Moderate Severe Heart murmur Mild Moderate Severe High blood pressure Mild Moderate Severe Irregular pulse Mild Moderate Severe Mitral valve prolapse Mild Moderate Severe Palpitations Mild Moderate Severe Phlebitis Mild Moderate Severe Swollen ankles/feet Mild Moderate Severe	Fainting	Mild	Moderate	Severe
Light-headedness Mild Moderate Severe Numbness Mild Moderate Severe Other phobias Mild Moderate Severe Panic attacks Mild Moderate Severe Paranoia Mild Moderate Severe Seizures Mild Moderate Severe Suicidal thoughts Mild Moderate Severe Tremor/trembling Mild Moderate Severe Visual Hallucinations Mild Moderate Severe Cardiovascular Angina/chest pain Mild Moderate Severe Breathlessness Mild Moderate Severe Heart attack Mild Moderate Severe Heart murmur Mild Moderate Severe High blood pressure Mild Moderate Severe Irregular pulse Mild Moderate Severe Mitral valve prolapse Mild Moderate Severe Palpitations Mild Moderate Severe Phlebitis Mild Moderate Severe Swollen ankles/feet Mild Moderate Severe	Fearfulness	Mild	Moderate	Severe
Numbness Mild Moderate Severe Other phobias Mild Moderate Severe Panic attacks Mild Moderate Severe Paranoia Mild Moderate Severe Seizures Mild Moderate Severe Suicidal thoughts Mild Moderate Severe Tremor/trembling Mild Moderate Severe Visual Hallucinations Mild Moderate Severe Cardiovascular Angina/chest pain Mild Moderate Severe Breathlessness Mild Moderate Severe Heart attack Mild Moderate Severe Heart murmur Mild Moderate Severe High blood pressure Mild Moderate Severe Irregular pulse Mild Moderate Severe Mitral valve prolapse Mild Moderate Severe Palpitations Mild Moderate Severe Phlebitis Mild Moderate Severe Swollen ankles/feet Mild Moderate Severe	Irritability	Mild	Moderate	Severe
Other phobias Mild Moderate Severe Panic attacks Mild Moderate Severe Paranoia Mild Moderate Severe Seizures Mild Moderate Severe Suicidal thoughts Mild Moderate Severe Tremor/trembling Mild Moderate Severe Visual Hallucinations Mild Moderate Severe Cardiovascular Angina/chest pain Mild Moderate Severe Breathlessness Mild Moderate Severe Heart attack Mild Moderate Severe Heart murmur Mild Moderate Severe High blood pressure Mild Moderate Severe Irregular pulse Mild Moderate Severe Mitral valve prolapse Mild Moderate Severe Palpitations Mild Moderate Severe Phlebitis Mild Moderate Severe Swollen ankles/feet Mild Moderate Severe	Light-headedness	Mild	Moderate	Severe
Panic attacks Mild Moderate Severe Paranoia Mild Moderate Severe Seizures Mild Moderate Severe Suicidal thoughts Mild Moderate Severe Tremor/trembling Mild Moderate Severe Visual Hallucinations Mild Moderate Severe Cardiovascular Angina/chest pain Mild Moderate Severe Breathlessness Mild Moderate Severe Heart attack Mild Moderate Severe Heart murmur Mild Moderate Severe High blood pressure Mild Moderate Severe Irregular pulse Mild Moderate Severe Mitral valve prolapse Mild Moderate Severe Palpitations Mild Moderate Severe Phlebitis Mild Moderate Severe Swollen ankles/feet Mild Moderate Severe	Numbness	Mild	Moderate	Severe
Paranoia Mild Moderate Severe Seizures Mild Moderate Severe Suicidal thoughts Mild Moderate Severe Tremor/trembling Mild Moderate Severe Visual Hallucinations Mild Moderate Severe Cardiovascular Angina/chest pain Mild Moderate Severe Breathlessness Mild Moderate Severe Heart attack Mild Moderate Severe Heart murmur Mild Moderate Severe High blood pressure Mild Moderate Severe Irregular pulse Mild Moderate Severe Mitral valve prolapse Mild Moderate Severe Palpitations Mild Moderate Severe Phlebitis Mild Moderate Severe Swollen ankles/feet Mild Moderate Severe	Other phobias	Mild	Moderate	Severe
Seizures Mild Moderate Severe Suicidal thoughts Mild Moderate Severe Tremor/trembling Mild Moderate Severe Visual Hallucinations Mild Moderate Severe Cardiovascular Angina/chest pain Mild Moderate Severe Breathlessness Mild Moderate Severe Heart attack Mild Moderate Severe Heart murmur Mild Moderate Severe High blood pressure Mild Moderate Severe Irregular pulse Mild Moderate Severe Mitral valve prolapse Mild Moderate Severe Palpitations Mild Moderate Severe Phlebitis Mild Moderate Severe Swollen ankles/feet Mild Moderate Severe	Panic attacks	Mild	Moderate	Severe
Suicidal thoughts Mild Moderate Severe Tremor/trembling Mild Moderate Severe Visual Hallucinations Mild Moderate Severe Cardiovascular Angina/chest pain Mild Moderate Severe Breathlessness Mild Moderate Severe Heart attack Mild Moderate Severe Heart murmur Mild Moderate Severe High blood pressure Mild Moderate Severe Irregular pulse Mild Moderate Severe Mitral valve prolapse Mild Moderate Severe Palpitations Mild Moderate Severe Phlebitis Mild Moderate Severe Swollen ankles/feet Mild Moderate Severe	Paranoia	Mild	Moderate	Severe
Tremor/trembling Mild Moderate Severe Visual Hallucinations Mild Moderate Severe  Cardiovascular  Angina/chest pain Mild Moderate Severe Breathlessness Mild Moderate Severe Heart attack Mild Moderate Severe Heart murmur Mild Moderate Severe High blood pressure Mild Moderate Severe Irregular pulse Mild Moderate Severe Mitral valve prolapse Mild Moderate Severe Palpitations Mild Moderate Severe Phlebitis Mild Moderate Severe Swollen ankles/feet Mild Moderate Severe	Seizures	Mild	Moderate	Severe
Visual Hallucinations Mild Moderate Severe  Cardiovascular  Angina/chest pain Mild Moderate Severe  Breathlessness Mild Moderate Severe  Heart attack Mild Moderate Severe  Heart murmur Mild Moderate Severe  High blood pressure Mild Moderate Severe  Irregular pulse Mild Moderate Severe  Mitral valve prolapse Mild Moderate Severe  Palpitations Mild Moderate Severe  Phlebitis Mild Moderate Severe  Swollen ankles/feet Mild Moderate Severe	Suicidal thoughts	Mild	Moderate	Severe
Cardiovascular  Angina/chest pain Mild Moderate Severe Breathlessness Mild Moderate Severe Heart attack Mild Moderate Severe Heart murmur Mild Moderate Severe High blood pressure Mild Moderate Severe Irregular pulse Mild Moderate Severe Mitral valve prolapse Mild Moderate Severe Palpitations Mild Moderate Severe Phlebitis Mild Moderate Severe Swollen ankles/feet Mild Moderate Severe	Tremor/trembling	Mild	Moderate	Severe
Angina/chest pain Mild Moderate Severe Breathlessness Mild Moderate Severe Heart attack Mild Moderate Severe Heart murmur Mild Moderate Severe High blood pressure Mild Moderate Severe Irregular pulse Mild Moderate Severe Mitral valve prolapse Mild Moderate Severe Palpitations Mild Moderate Severe Phlebitis Mild Moderate Severe Swollen ankles/feet Mild Moderate Severe	Visual Hallucinations	Mild	Moderate	Severe
Breathlessness Mild Moderate Severe Heart attack Mild Moderate Severe Heart murmur Mild Moderate Severe High blood pressure Mild Moderate Severe Irregular pulse Mild Moderate Severe Mitral valve prolapse Mild Moderate Severe Palpitations Mild Moderate Severe Phlebitis Mild Moderate Severe Swollen ankles/feet Mild Moderate Severe	Cardiovascular			
Heart attack Mild Moderate Severe Heart murmur Mild Moderate Severe High blood pressure Mild Moderate Severe Irregular pulse Mild Moderate Severe Mitral valve prolapse Mild Moderate Severe Palpitations Mild Moderate Severe Phlebitis Mild Moderate Severe Swollen ankles/feet Mild Moderate Severe	Angina/chest pain	Mild	Moderate	Severe
Heart murmur Mild Moderate Severe High blood pressure Mild Moderate Severe Irregular pulse Mild Moderate Severe Mitral valve prolapse Mild Moderate Severe Palpitations Mild Moderate Severe Phlebitis Mild Moderate Severe Swollen ankles/feet Mild Moderate Severe	Breathlessness	Mild	Moderate	Severe
High blood pressure Mild Moderate Severe Irregular pulse Mild Moderate Severe Mitral valve prolapse Mild Moderate Severe Palpitations Mild Moderate Severe Phlebitis Mild Moderate Severe Swollen ankles/feet Mild Moderate Severe	Heart attack	Mild	Moderate	Severe
Irregular pulseMildModerateSevereMitral valve prolapseMildModerateSeverePalpitationsMildModerateSeverePhlebitisMildModerateSevereSwollen ankles/feetMildModerateSevere	Heart murmur	Mild	Moderate	Severe
Mitral valve prolapseMildModerateSeverePalpitationsMildModerateSeverePhlebitisMildModerateSevereSwollen ankles/feetMildModerateSevere	High blood pressure	Mild	Moderate	Severe
Palpitations Mild Moderate Severe Phlebitis Mild Moderate Severe Swollen ankles/feet Mild Moderate Severe	Irregular pulse	Mild	Moderate	Severe
Phlebitis Mild Moderate Severe Swollen ankles/feet Mild Moderate Severe	Mitral valve prolapse	Mild	Moderate	Severe
Swollen ankles/feet Mild Moderate Severe	Palpitations	Mild	Moderate	Severe
	Phlebitis	Mild	Moderate	Severe
Varicose veins Mild Moderate Severe	Swollen ankles/feet	Mild	Moderate	Severe
L	Varicose veins	Mild	Moderate	Severe

# Symptom Review (continued)

Urinary			
Bed wetting	Mild	Moderate	Severe
Hesitancy	Mild	Moderate	Severe
Infection	Mild	Moderate	Severe
Kidney disease	Mild	Moderate	Severe
Kidney stone	Mild	Moderate	Severe
Leaking/incontinence	Mild	Moderate	Severe
Pain/burning	Mild	Moderate	Severe
Urgency	Mild	Moderate	Severe
Digestion			
Anal spasms	Mild	Moderate	Severe
Bad teeth	Mild	Moderate	Severe
Bleeding gums	Mild	Moderate	Severe
Bloating of:			
Lower abdomen	Mild	Moderate	Severe
Whole abdomen	Mild	Moderate	Severe
Bloating after meals	Mild	Moderate	Severe
Blood in stools	Mild	Moderate	Severe
Burping	Mild	Moderate	Severe
Canker sores	Mild	Moderate	Severe
Cold sores	Mild	Moderate	Severe
Constipation	Mild	Moderate	Severe
Cracking at corner of lips	Mild	Moderate	Severe
Dentures w/poor chewing	Mild	Moderate	Severe
Diarrhea	Mild	Moderate	Severe
Difficulty swallowing	Mild	Moderate	Severe
Dry mouth	Mild	Moderate	Severe
Farting	Mild	Moderate	Severe
Fissures	Mild	Moderate	Severe
Foods "repeat" (reflux)	Mild	Moderate	Severe
Heartburn	Mild	Moderate	Severe
Hemorrhoids	Mild	Moderate	Severe
Intolerance to:			
Lactose	Mild	Moderate	Severe
All dairy products	Mild	Moderate	Severe
Gluten (wheat)	Mild	Moderate	Severe
Corn	Mild	Moderate	Severe
Eggs	Mild	Moderate	Severe
Fatty foods	Mild	Moderate	Severe
Yeast	Mild	Moderate	Severe
Liver disease/jaundice	□Mild	□ Moderate	□Severe
(yellow eyes or skin)			
Lower abdominal pain	Mild	Moderate	Severe

Digestion (continued)			
Mucus in stools	Mild	Moderate	Severe
Nausea	Mild	Moderate	Severe
Periodontal disease	Mild	Moderate	Severe
Sore tongue	Mild	Moderate	Severe
Strong stool odor	Mild	Moderate	Severe
Undigested food in stools	Mild	Moderate	Severe
Upper abdominal pain	Mild	Moderate	Severe
Vomiting	Mild	Moderate	Severe
Eating			
Binge eating	Mild	Moderate	Severe
Bulimia	Mild	Moderate	Severe
Can't gain weight	Mild	Moderate	Severe
Can't lose weight	Mild	Moderate	Severe
Carbohydrate craving	Mild	Moderate	Severe
Carbohydrate intolerance	Mild	Moderate	Severe
Poor appetite	Mild	Moderate	Severe
Salt cravings	Mild	Moderate	Severe
Frequent dieting	Mild	Moderate	Severe
Sweet cravings	Mild	Moderate	Severe
Caffeine dependency	Mild	Moderate	Severe
Respiratory			
Bad breath	Mild	Moderate	Severe
Bad odor in nose		NA - I	
	Mild	Moderate	Severe
Cough – dry	Mild Mild	Moderate	Severe Severe
Cough – dry Cough – productive			
	Mild	Moderate	Severe
Cough – productive	Mild Mild	Moderate Moderate	Severe Severe
Cough – productive  Hayfever:	Mild Mild Mild	Moderate Moderate	Severe Severe
Cough – productive Hayfever: Spring	Mild Mild Mild Mild	Moderate Moderate Moderate	Severe Severe Severe
Cough – productive  Hayfever:  Spring  Summer	Mild Mild Mild Mild Mild	Moderate Moderate Moderate Moderate	Severe Severe Severe Severe
Cough – productive  Hayfever:  Spring  Summer  Fall	Mild Mild Mild Mild Mild	Moderate Moderate Moderate Moderate Moderate Moderate	Severe Severe Severe Severe Severe
Cough – productive  Hayfever:  Spring  Summer  Fall  Change of season	Mild Mild Mild Mild Mild Mild Mild Mild	Moderate Moderate Moderate Moderate Moderate Moderate Moderate	Severe Severe Severe Severe Severe Severe
Cough – productive  Hayfever:  Spring  Summer  Fall  Change of season  Hoarseness	Mild Mild Mild Mild Mild Mild Mild Mild	Moderate Moderate Moderate Moderate Moderate Moderate Moderate Moderate Moderate	Severe Severe Severe Severe Severe Severe Severe Severe
Cough – productive  Hayfever:  Spring  Summer  Fall  Change of season  Hoarseness  Nasal stuffiness	Mild Mild Mild Mild Mild Mild Mild Mild	Moderate	Severe Severe Severe Severe Severe Severe Severe Severe Severe
Cough – productive  Hayfever:  Spring  Summer  Fall  Change of season  Hoarseness  Nasal stuffiness  Nose bleeds	Mild Mild Mild Mild Mild Mild Mild Mild	Moderate	Severe
Cough – productive  Hayfever:  Spring  Summer  Fall  Change of season  Hoarseness  Nasal stuffiness  Nose bleeds  Post nasal drip	Mild Mild Mild Mild Mild Mild Mild Mild	Moderate	Severe
Cough – productive  Hayfever:  Spring  Summer  Fall  Change of season  Hoarseness  Nasal stuffiness  Nose bleeds  Post nasal drip  Sinus fullness	Mild Mild Mild Mild Mild Mild Mild Mild	Moderate	Severe
Cough – productive  Hayfever:  Spring  Summer  Fall  Change of season  Hoarseness  Nasal stuffiness  Nose bleeds  Post nasal drip  Sinus fullness  Sinus infection	Mild Mild Mild Mild Mild Mild Mild Mild	Moderate	Severe
Cough – productive  Hayfever:  Spring  Summer  Fall  Change of season  Hoarseness  Nasal stuffiness  Nose bleeds  Post nasal drip  Sinus fullness  Sinus infection  Snoring	Mild Mild Mild Mild Mild Mild Mild Mild	Moderate	Severe

# Symptom Review (continued)

Nails			
Bitten	Mild	Moderate	Severe
Brittle	Mild	Moderate	Severe
Curve Up	Mild	Moderate	Severe
Frayed	Mild	Moderate	Severe
Fungus – fingers	Mild	Moderate	Severe
Fungus – toes	Mild	Moderate	Severe
Pitting	Mild	Moderate	Severe
Ragged cuticles	Mild	Moderate	Severe
Ridges	Mild	Moderate	Severe
Soft	Mild	Moderate	Severe
Thickening of:			
Fingernails	Mild	Moderate	Severe
Toenails	Mild	Moderate	Severe
White spots/lines	Mild	Moderate	Severe
Lymph Nodes			
Enlarged/neck	Mild	Moderate	Severe
Tender/neck	Mild	Moderate	Severe
Other enlarged/tender lymph nodes	Mild	Moderate	Severe
Skin, Dryness of			
Eyes	Mild	Moderate	Severe
Feet	Mild	Moderate	Severe
Any cracking?	Mild	Moderate	Severe
Any peeling?	Mild	Moderate	Severe
Hair	Mild	Moderate	Severe
And unmanageable?	Mild	Moderate	Severe
Hands	Mild	Moderate	Severe
Any cracking?	Mild	Moderate	Severe
Any peeling?	Mild	Moderate	Severe
Mouth/throat	Mild	Moderate	Severe
Scalp	Mild	Moderate	Severe
Any dandruff	Mild	Moderate	Severe
Skin in general	Mild	Moderate	Severe
Skin Problems			
Acne on back	Mild	Moderate	Severe
Acne on chest	Mild	Moderate	Severe
Acne on face	Mild	Moderate	Severe
Acne on shoulders	□Mild	□ Moderate	□Severe
Athlete's foot	Mild	Moderate	Severe
Bumps on back of upper arms	Mild	Moderate	Severe
Cellulite	Mild	Moderate	Severe
Dark circles under eyes	Mild	Moderate	Severe
Ears get red	Mild	Moderate	Severe
Easy bruising	Mild	Moderate	Severe

Skin problems (continued)			
Eczema	Mild	Moderate	Severe
Herpes – genital	Mild	Moderate	Severe
Hives	Mild	Moderate	Severe
Jock itch	Mild	Moderate	Severe
Lackluster skin	Mild	Moderate	Severe
Moles w color/size change	Mild	Moderate	Severe
Oily skin	Mild	Moderate	Severe
Pale skin	Mild	Moderate	Severe
Patchy dullness	Mild	Moderate	Severe
Psoriasis	Mild	Moderate	Severe
Rash	Mild	Moderate	Severe
Red face	Mild	Moderate	Severe
Sensitive to bites	Mild	Moderate	Severe
Sensitive to poison ivy/oak	Mild	Moderate	Severe
Shingles	Mild	Moderate	Severe
Skin cancer	Mild	Moderate	Severe
Skin darkening	Mild	Moderate	Severe
Strong body odor	Mild	Moderate	Severe
Thick calluses	Mild	Moderate	Severe
Vitiligo	Mild	Moderate	Severe
Itching Skin			
Anus	Mild	Moderate	Severe
Arms	Mild	Moderate	Severe
Ear canals	Mild	Moderate	Severe
Eyes	Mild	Moderate	Severe
Feet	Mild	Moderate	Severe
Hands	Mild	Moderate	Severe
Legs	Mild	Moderate	Severe
Nipples	Mild	Moderate	Severe
Nose	Mild	Moderate	Severe
Genitals	Mild	Moderate	Severe
Roof of mouth	Mild	Moderate	Severe
Scalp	Mild	Moderate	Severe
Skin in general	Mild	Moderate	Severe
Throat	Mild	Moderate	Severe

### Symptom Review (continued)

Female Reproductive			
Breast cysts	Mild	Moderate	Severe
Breast lumps	Mild	Moderate	Severe
Breast tenderness	Mild	Moderate	Severe
Ovarian cysts	Mild	Moderate	Severe
Poor libido (sex drive)	Mild	Moderate	Severe
Endometriosis	Mild	Moderate	Severe
Fibroids	Mild	Moderate	Severe
Infertility	Mild	Moderate	Severe
Vaginal discharge	Mild	Moderate	Severe
Vaginal odor	Mild	Moderate	Severe
Vaginal itch	Mild	Moderate	Severe
Vaginal pain	Mild	Moderate	Severe
Premenstrual:			
Bloating	Mild	Moderate	Severe
Breast tenderness	Mild	Moderate	Severe
Carbohydrate craving	Mild	Moderate	Severe
Chocolate craving	Mild	Moderate	Severe
Constipation	Mild	Moderate	Severe
Decreased sleep	Mild	Moderate	Severe
Diarrhea	Mild	Moderate	Severe
Fatigue	Mild	Moderate	Severe
Increased sleep	Mild	Moderate	Severe
Irritability	Mild	Moderate	Severe
Menstrual:			
Cramps	Mild	Moderate	Severe
Heavy periods	Mild	Moderate	Severe
Irregular periods	Mild	Moderate	Severe
No periods	Mild	Moderate	Severe
Scanty periods	Mild	Moderate	Severe
Spotting between	Mild	Moderate	Severe

# Medications/Supplements

Current medications (include prescription and over-the-counter)

Medication	Do	osage	Start Date (	mo/yr)	Reason for Use		
Nutritional supplements (vitar	nins/minerals/he	rhs etc )					
Traditional supplements (vital		103 Ctc.)					
Name and Brand	Do	osage	Start Date (	no/yr)	Reason for Use		
Here was Branch and a section			· · · · · · · · · · · · · · · · · · ·	. 1 2	V N.		
Have medications or supplem If yes, describe:			mects or pro	oiems?	Yes No		
Have you used any of these re	egularly or for a l	ong time:					
NSAIDs (Advil, Aleve, etc.	.), Motrin, Aspirir	n? Yes	No	Tylei	nol (acetaminophen)?	Yes	No
Acid-blocking drugs (Zant			Yes	N	•		
How many times have you tak							
	Less than 5	□ 5 or mo	ore.	Reason	foruse		
	Less than 5	□ 5 or mo		Reason for use			
	Less than 5	□ 5 or mo			for use		
				rcason	101 436		
Have you ever taken long terr		Yes No	)				
If yes, explain:							
How often have you taken ora	al steroids (e.g., c	cortisone, predr	nisone, etc.)?				
Infancy/childhood □	l Less than 5	☐ 5 or mo			for use		
Teen □	l Less than 5	☐ 5 or mo	ore	Reason	for use		
Adulthood	I Less than 5	□ 5 or mo			for use		

#### Readiness Assessment and Health Goals

# Readiness Assessment Rate on a scale of 5 (very willing) to 1 (not willing): In order to improve your health, how willing are you to: Significantly modify your diet Take several nutritional supplements each day Keep a record of everything you eat each day Modify your lifestyle (e.g., work demands, sleep habits) Practice a relaxation technique Engage in regular exercise Rate on a scale of 5 (very confident) to 1 (not confident at all): How confident are you of your ability to organize and follow through on the above health-related activities? If you are not confident of your ability, what aspects of yourself or your life lead you to question your capacity to follow through? Rate on a scale of 5 (very supportive) to 1 (very unsupportive): At the present time, how supportive do you think the people in your household will be to your implementing the above changes? Rate on a scale of 5 (very frequent contact) to 1 (very infrequent contact): How much ongoing support (e.g., telephone consults, email correspondence) from our professional staff would be helpful to you as you implement your personal health program? Comments:

# **Health Goals** What do you hope to achieve in your visit with us? When was the last time you felt well? Did something trigger your change in health? What makes you feel better? What makes you feel worse? How does your condition affect you? What do you think is happening and why? What do you feel needs to happen for you to get better?